

---

# Tensor Documentation

*Release 0.0.6*

**Colin Alston**

May 31, 2015



<b>1</b>	<b>Getting started</b>	<b>3</b>
1.1	Installation . . . . .	3
1.2	Creating a configuration file . . . . .	3
1.3	Using outputs . . . . .	3
1.4	Using sources . . . . .	4
1.5	Configuration . . . . .	4
1.6	State triggers . . . . .	5
1.7	Routing sources . . . . .	5
1.8	Starting Tensor . . . . .	6
<b>2</b>	<b>Sources</b>	<b>7</b>
2.1	Introduction . . . . .	7
2.2	Writing your own sources . . . . .	7
2.3	Using custom sources . . . . .	8
2.4	Handling asynchronous tasks . . . . .	8
2.5	Thinking outside the box . . . . .	9
<b>3</b>	<b>Outputs</b>	<b>11</b>
3.1	Introduction . . . . .	11
3.2	Using TLS . . . . .	11
3.3	Writing your own outputs . . . . .	11
<b>4</b>	<b>Example configurations</b>	<b>13</b>
4.1	Replacing Munin . . . . .	13
<b>5</b>	<b>tensor</b>	<b>21</b>
5.1	tensor.aggregators . . . . .	21
5.2	tensor.interfaces . . . . .	21
5.3	tensor.objects . . . . .	21
5.4	tensor.service . . . . .	22
5.5	tensor.utils . . . . .	23
<b>6</b>	<b>tensor.protocol</b>	<b>25</b>
6.1	tensor.protocol.elasticsearch . . . . .	25
6.2	tensor.protocol.icmp . . . . .	25
6.3	tensor.protocol.riemann . . . . .	25
6.4	tensor.protocol.sflow . . . . .	26
<b>7</b>	<b>tensor.logs</b>	<b>27</b>

7.1	tensor.logs.follower . . . . .	27
7.2	tensor.logs.parsers . . . . .	27
<b>8</b>	<b>tensor.sources</b>	<b>29</b>
8.1	tensor.sources.database.postgresql . . . . .	29
8.2	tensor.sources.database.elasticsearch . . . . .	29
8.3	tensor.sources.database.memcache . . . . .	30
8.4	tensor.sources.haproxy . . . . .	30
8.5	tensor.sources.generator . . . . .	30
8.6	tensor.sources.linux . . . . .	31
8.7	tensor.sources.media . . . . .	33
8.8	tensor.sources.munin . . . . .	33
8.9	tensor.sources.network . . . . .	34
8.10	tensor.sources.nginx . . . . .	34
8.11	tensor.sources.python . . . . .	36
8.12	tensor.sources.rabbitmq . . . . .	36
8.13	tensor.sources.redis . . . . .	36
8.14	tensor.sources.riak . . . . .	37
8.15	tensor.sources.riemann . . . . .	37
8.16	tensor.sources.sflow . . . . .	37
8.17	tensor.sources.snmp . . . . .	38
<b>9</b>	<b>tensor.outputs</b>	<b>39</b>
9.1	tensor.outputs.riemann . . . . .	39
9.2	tensor.outputs.elasticsearch . . . . .	40
<b>10</b>	<b>Indices and tables</b>	<b>41</b>
	<b>Python Module Index</b>	<b>43</b>

Tensor is a modular gateway and event router for Riemann, built using the Twisted framework.

Contents:



---

## Getting started

---

### 1.1 Installation

Tensor can be installed from PyPi with pip

```
$ pip install tensor
```

This will also install Twisted, protobuf and PyYAML

Or you can use the .deb package. Let the latest release from <https://github.com/calston/tensor/releases/latest>

```
$ aptitude install python-twisted python-protobuf python-yaml
$ wget https://github.com/calston/tensor/releases/download/0.3.0/tensor_0.3.0_amd64.deb
$ dpkg -i tensor_0.3.0_amd64.deb
```

This also gives you an init script and default config in `/etc/tensor/`

### 1.2 Creating a configuration file

Tensor uses a simple YAML configuration file

The first basic requirements are the Riemann server and port (defaults to `localhost:5555`) and the queue interval:

```
server: localhost
port: 5555
interval: 1.0
proto: udp
```

Tensors checks are Python classes (called sources) which are instantiated with the configuration block which defines them. Rather than being one-shot scripts, a source object remains in memory with its own timer which adds events to a queue. The *interval* defined above is the rate at which these events are rolled up into a message and sent to Riemann.

It is important then that *interval* is set to a value appropriate to how frequently you want to see them in Riemann, as well as the rate at which they collect metrics from the system. All *interval* attributes are floating point in seconds, this means you can check (and send to Riemann) at rates well below 1 second.

### 1.3 Using outputs

You can configure multiple outputs which receive a copy of every message for example

```
outputs:
- output: tensor.outputs.riemann.RiemannTCP
  server: localhost
  port: 5555
```

If you enable multiple outputs then the *server*, *port* and *proto* options will go un-used and the default Riemann TCP transport won't start.

You can configure as many outputs as you like, or create your own.

## 1.4 Using sources

To configure the basic CPU usage source add it to the *sources* list in the config file

```
sources:
- service: cpu
  source: tensor.sources.linux.basic.CPU
  interval: 1.0
  warning: {
    cpu: "> 0.5"
  }
  critical: {
    cpu: "> 0.8"
  }
```

This will measure the CPU from `/proc/stat` every second, with a warning state if the value exceeds 50%, and a critical state if it exceeds 80%

The *service* attribute can be any string you like, populating the *service* field in Riemann. The logical expression to raise the state of the event is (eg. critical) is assigned to a key which matches the service name.

Sources may return more than one metric, in which case it will add a prefix to the service. The state expression must correspond to that as well.

For example, the Ping check returns both latency and packet loss:

```
service: googledns
source: tensor.sources.network.Ping
interval: 60.0
destination: 8.8.8.8
critical: {
  googledns.latency: "> 100",
  googledns.loss: "> 0"
}
```

This will ping 8.8.8.8 every 60 seconds and raise a critical alert for the latency metric if it exceeds 100ms, and the packet loss metric if there is any at all.

## 1.5 Configuration

Sources can contain any number of configuration attributes which vary between them. All sources take the following options though



service	mandatory	Service name after which extra metric names are appended, dot separated
interval	depends	Clock tick interval, for sources which implement a polling clock
ttd	optional	TTL for metric expiry in Riemann
hostname	optional	Hostname to tag this service with. Defaults to system FQDN but can be overridden.
tags	optional	Comma separated list of tags for metrics

## 1.6 State triggers

*critical* and *warning* matches can also be a regular expression for sources which output keys for different devices and metrics:

```
service: network
source: tensor.sources.linux.basic.Network
...
critical: {
    network.\w+.tx_packets: "> 1000",
}
```

## 1.7 Routing sources

Since multiple outputs can be added, Tensor events can be routed from sources to specific outputs or multiple outputs. By default events are routed to all outputs.

To enable routing, outputs need a unique *name* attribute:

```
outputs:
- output: tensor.outputs.riemann.RiemannTCP
  name: riemann1
  server: riemann1.acme.com
  port: 5555

- output: tensor.outputs.riemann.RiemannTCP
  name: riemann2
  server: riemann2.acme.com
  port: 5555

- output: tensor.outputs.riemann.RiemannUDP
  name: riemannudp
  server: riemann1.acme.com
  port: 5555

sources:
- service: cpu1
  source: tensor.sources.linux.basic.CPU
  interval: 1.0
  route: riemannudp

- service: cpu2
  source: tensor.sources.linux.basic.CPU
  interval: 1.0
  route:
    - riemann1
    - riemann2
```

The *route* attribute can also accept a list of output names. The above configuration would route `cpu1` metrics to the UDP output, and the `cpu2` metrics to both `riemann1` and `riemann2` TCP outputs.

## 1.8 Starting Tensor

To start Tensor, simply use `twistd` to run the service and pass a config file:

```
twistd -n tensor -c tensor.yml
```

If you're using the Debian package then an init script is included.

---

## Sources

---

### 2.1 Introduction

Sources are Python objects which subclass `tensor.objects.Source`. They are constructed with a dictionary parsed from the YAML configuration block which defines them, and as such can read any attributes from that either optional or mandatory.

Since sources are constructed at startup time they can retain any required state, for example the last metric value to report rates of change or for any other purpose. However since a Tensor process might be running many checks a source should not use an excessive amount of memory.

The `source` configuration option is passed a string representing an object in much the same way as you would import it in a python module. The final class name is split from this string. For example specifying:

```
source: tensor.sources.network.Ping
```

is equivalent to:

```
from tensor.sources.network import Ping
```

### 2.2 Writing your own sources

A source class must subclass `tensor.objects.Source` and also implement the interface `tensor.interfaces.ITensorSource`

The source must have a `get` method which returns a `tensor.objects.Event` object. The Source parent class provides a helper method `createEvent` which performs the metric level checking (evaluating the simple logical statement in the configuration), sets the correct service name and handles prefixing service names.

A “Hello world” source:

```
from zope.interface import implements

from tensor.interfaces import ITensorSource
from tensor.objects import Source

class HelloWorld(Source):
    implements(ITensorSource)

    def get(self):
        return self.createEvent('ok', 'Hello world!', 0)
```

To hold some state, you can re-implement the `__init__` method, as long as the arguments remain the same.

Extending the above example to create a simple flip-flop metric event:

```
from zope.interface import implements

from tensor.interfaces import ITensorSource
from tensor.objects import Source

class HelloWorld(Source):
    implements(ITensorSource)

    def __init__(self, *a):
        Source.__init__(self, *a)
        self.bit = False

    def get(self):
        self.bit = not self.bit
        return self.createEvent('ok', 'Hello world!', self.bit and 0.0 or 1.0)
```

You could then place this in a Python module like *hello.py* and as long as it's in the Python path for Tensor it can be used as a source with *hello.HelloWorld*

A list of events can also be returned but be careful of overwhelming the output buffer, and if you need to produce lots of metrics it may be worthwhile to return nothing from *get* and call *self.queueBack* as needed.

## 2.3 Using custom sources

When a source is specified, eg

```
source: tensor.sources.network.Ping
```

Tensor will import and instantiate the *Ping* class from *tensor.sources.network*. Consequently a source can be any installed Python module.

For the sake of convenience, however, Tensor also appends */var/lib/tensor* to the Python path. This means you can easily create, test and distribute sources in that directory.

For example, create the above *hello.py* file and place it in */var/lib/tensor* then use the configuration

```
source: hello.HelloWorld
```

You can also always submit Github pull request with sources to have them added to Tensor for others to benefit from!

## 2.4 Handling asynchronous tasks

Since Tensor is written using the Twisted asynchronous framework, sources can (and in most cases *must*) make full use of it to implement network checks, or execute other processes.

The simplest example of a source which executes an external process is the ProcessCount check:

```
from zope.interface import implements

from twisted.internet import defer

from tensor.interfaces import ITensorSource
from tensor.objects import Source
```

```

from tensor.utils import fork

class ProcessCount(Source):
    implements(ITensorSource)

    @defer.inlineCallbacks
    def get(self):
        out, err, code = yield fork('/bin/ps', args=('-e',))

        count = len(out.strip('\n').split('\n'))

        defer.returnValue(
            self.createEvent('ok', 'Process count %s' % (count), count)
        )

```

For more information please read the Twisted documentation at <https://twistedmatrix.com/trac/wiki/Documentation>

The `tensor.utils.fork()` method returns a deferred which can timeout after a specified time.

## 2.5 Thinking outside the box

Historically monitoring systems are poorly architected, and terribly inflexible. To demonstrate how Tensor offers a different concept to the boring status quo it's interesting to note that there is nothing preventing you from starting a listening service directly within a source which processes and relays events to Riemann implementing some protocol.

Here is an example of a source which listens for TCP connections to port 8000, accepting any number on a line and passing that to the event queue:

```

from twisted.internet.protocol import Factory
from twisted.protocols.basic import LineReceiver
from twisted.internet import reactor

from zope.interface import implements

from tensor.interfaces import ITensorSource
from tensor.objects import Source

class Numbers(LineReceiver):
    def __init__(self, source):
        self.source = source

    def lineReceived(self, line):
        """
        Send any numbers received back to the Tensor queue
        """
        print repr(line)
        try:
            num = float(line)
            self.source.queueBack(
                self.source.createEvent('ok', 'Number: %s' % num, num)
            )
        except:
            pass

class NumbersFactory(Factory):
    def __init__(self, source):
        self.source = source

```

```
def buildProtocol(self, addr):  
    return Numbers(self.source)  
  
class NumberProxy(Source):  
    implements(ITensorSource)  
  
    def startTimer(self):  
        # Override starting the source timer, we don't need it  
        f = NumbersFactory(self)  
        reactor.listenTCP(8000, f)  
  
    def get(self):  
        # Implement the get method, but we can ignore it  
        pass
```

---

## Outputs

---

### 3.1 Introduction

Outputs are Python objects which subclass `tensor.objects.Output`. They are constructed with a dictionary parsed from the YAML configuration block which defines them, and as such can read any attributes from that either optional or mandatory.

Since outputs are constructed at startup time they can retain any required state. A copy of the queue is passed to all **method: 'tensor.objects.Output.eventsReceived'** calls which happen at each queue *interval* config setting as the queue is emptied. This list of `tensor.objects.Event` objects must not be altered by the output.

The *output* configuration option is passed a string representing an object the same way as *sources* configurations are

```
outputs:
  - output: tensor.outputs.riemann.RiemannTCP
    server: 127.0.0.1
    port: 5555
```

### 3.2 Using TLS

The TCP output also supports TLS, which can make use of Puppet certs for convenience

```
outputs:
  - output: tensor.outputs.riemann.RiemannTCP
    server: 127.0.0.1
    port: 5554
    tls: true
    cert: /var/lib/puppet/ssl/certs/test.acme.com.pem
    key: /var/lib/puppet/ssl/private_keys/test.acme.com.pem
```

### 3.3 Writing your own outputs

An output class should subclass `tensor.objects.Output`.

The output can implement a `createClient` method which starts the output in whatever way necessary and can be a deferred. The output must also have a `eventsReceived` method which takes a list of `tensor.objects.Event` objects and process them accordingly, it can also be a deferred.

An example logging source:

```
from twisted.internet import reactor, defer
from twisted.python import log

from tensor.objects import Output

class Logger(Output):
    def eventsReceived(self, events):
        log.msg("Events dequeued: %s" % len(events))
```

If you save this as *test.py* the basic configuration you need is simply

```
outputs:
    - output: tensor.outputs.riemann.RiemannUDP
      server: localhost
      port: 5555

    - output: test.Logger
```

You should now see how many events are exiting in the Tensor log file

```
2014-10-24 15:35:27+0200 [-] Starting protocol <tensor.protocol.riemann.RiemannUDP object at 0x7f3b5...
2014-10-24 15:35:28+0200 [-] Events dequeued: 7
2014-10-24 15:35:29+0200 [-] Events dequeued: 2
2014-10-24 15:35:30+0200 [-] Events dequeued: 3
```



---

## Example configurations

---

### 4.1 Replacing Munin

The first step is to create a TRIG stack (Tensor Riemann InfluxDB Grafana).

#### 4.1.1 Step 1: Install Riemann

```
$ wget http://aphyr.com/riemann/riemann_0.2.6_all.deb
$ aptitude install openjdk-7-jre
$ dpkg -i riemann_0.2.6_all.deb
```

#### 4.1.2 Step 2: Install InfluxDB

```
$ wget http://s3.amazonaws.com/influxdb/influxdb_latest_amd64.deb
$ sudo dpkg -i influxdb_latest_amd64.deb
```

Start InfluxDB, then quickly change the root/root default password because it also defaults to listening on all interfaces and apparently this is not important enough for them to fix.

Create a *riemann* and *grafana* database, and some users for them

```
$ curl -X POST 'http://localhost:8086/db?u=root&p=root' \
-d '{"name": "riemann"}'
$ curl -X POST 'http://localhost:8086/db?u=root&p=root' \
-d '{"name": "grafana"}'
$ curl -X POST 'http://localhost:8086/db/riemann/users?u=root&p=root' \
-d '{"name": "riemann", "password": "riemann"}'
$ curl -X POST 'http://localhost:8086/db/grafana/users?u=root&p=root' \
-d '{"name": "grafana", "password": "grafana"}'
```

NB. InfluxDB is easy to get running but is not production ready or stable so your data can very easily be lost.

#### 4.1.3 Step 3: Install Grafana

```
$ aptitude install nginx
$ mkdir /var/www
$ cd /var/www
$ wget http://grafanarel.s3.amazonaws.com/grafana-1.8.1.tar.gz
```

```
$ tar -zxf grafana-1.8.1.tar.gz
$ mv grafana-1.8.1 grafana
```

Now we must create an nginx configuration in */etc/nginx/sites-enabled*.

You can use something like this

```
server {
    listen 80;
    server_name <your hostname>;
    access_log /var/log/nginx/grafana-access.log;
    error_log /var/log/nginx/grafana-error.log;

    location / {
        alias /var/www/grafana/;
        index index.html;
        try_files $uri $uri/ /index.html;
    }
}
```

Next we need a configuration file for grafana. Open */var/www/grafana/config.js* and use the following configuration

```
define(['settings'],
function (Settings) {
    return new Settings({
        datasources: {
            influxdb: {
                type: 'influxdb',
                url: "http://<your hostname>:8086/db/riemann",
                username: 'riemann',
                password: 'riemann',
            },
            grafana: {
                type: 'influxdb',
                url: "http://<your hostname>:8086/db/grafana",
                username: 'grafana',
                password: 'grafana',
                grafanaDB: true
            },
        },
        search: {
            max_results: 20
        },
        default_route: '/dashboard/file/default.json',
        unsaved_changes_warning: true,
        playlist_timespan: "1m",
        admin: {
            password: ''
        },
        window_title_prefix: 'Grafana - ',
        plugins: {
            panels: [],
            dependencies: [],
        }
    });
});
```

### 4.1.4 Step 4: Glue things together

Lets start by configuring Riemann to talk to InfluxDB. This is the full /etc/riemann/riemann.config file.

```
; -*- mode: clojure; -*-
; vim: filetype=clojure
(require 'capacitor.core)
(require 'capacitor.async)
(require 'clojure.core.async)

(defn make-async-influxdb-client [opts]
  (let [client (capacitor.core/make-client opts)
        events-in (capacitor.async/make-chan)
        resp-out (capacitor.async/make-chan)]
    (capacitor.async/run! events-in resp-out client 100 10000)
    (fn [series payload]
      (let [p (merge payload {
                            :series series
                            :time (* 1000 (:time payload)) ;; s → ms
                          })]
        (clojure.core.async/put! events-in p))))))

(def influx (make-async-influxdb-client {
  :host "localhost"
  :port 8086
  :username "riemann"
  :password "riemann"
  :db "riemann"
}))

(logging/init {:file "/var/log/riemann/riemann.log"})

; Listen on the local interface over TCP (5555), UDP (5555), and websockets
; (5556)
(let [host "0.0.0.0"]
  (tcp-server {:host host})
  (udp-server {:host host})
  (ws-server {:host host}))

(periodically-expire 60)

(let [index (index)]
  (streams
   index

   (fn [event]
     (let [series (format "%s.%s" (:host event) (:service event))]
       (influx series {
         :time (:time event)
         :value (:metric event)
       }))))))
```

You're pretty much done at this point, and should see the metrics from the Riemann server process if you open up Grafana and look through the query builder.

### 4.1.5 Step 5: Using Tensor to retrieve stats from munin-node

First of all, install Tensor

```
$ pip install tensor
```

Next create `/etc/tensor` and a `tensor.yml` file in that directory.

The `tensor.yml` config file should look like this

```
ttl: 60.0
interval: 1.0

outputs:
  - output: tensor.outputs.riemann.RiemannTCP
    port: 5555
    server: <riemann server>

# Sources
sources:
  - service: mymunin
    source: tensor.sources.munin.MuninNode
    interval: 60.0
    ttl: 120.0
    critical: {
      mymunin.system.load.load: "> 2"
    }
```

This configures Tensor to connect to the munin-node on the local machine and retrieve all configured plugin values. You can create critical alert levels by setting the dot separated prefix for the service name and munin plugin.


You can now start Tensor

```
$ twistd -n tensor -c /etc/tensor/tensor.yml
2014-10-22 13:30:38+0200 [-] Log opened.
2014-10-22 13:30:38+0200 [-] twistd 14.0.2 (/home/colin/riemann-tensor/ve/bin/python 2.7.6) starting
2014-10-22 13:30:38+0200 [-] reactor class: twisted.internet.epollreactor.EPollReactor.
2014-10-22 13:30:38+0200 [-] Starting factory <tensor.protocol.riemann.RiemannClientFactory instance
```

This pretty much indicates everything is alright, or else we'd see quickly see some errors.


Next we will add some graphs to Grafana

### 4.1.6 Step 6: Creating graphs in Grafana




Click on the green row tag on the left, and delete all but the last row. This will leave you with an empty graph.

Click the title of the graph, then click *Edit*.



In the edit screen the Metrics tab will be open already. Now we can add our munin metrics. If you start typing in the *series* field you should see your hosts and metrics autocomplete.



Many Munin metrics are *counter* types which are usually converted to a rate by the RRD aggregation on Munin Graph. Handily the `tensor.sources.munin.MuninNode` source takes care of this by caching the metric between run intervals when that type is used.


If we wanted to graph our network interface all we need to do is make it a slightly better unit by multiplying the Byte/sec metric by 8, since Grafana provides a bit/sec legend format.

To do this start by clicking the gear icon on the metric query, then select *Raw query mode*.


Use the following query

```
select value * 8 from "<your hostname>.munin.network.if_eth0.down" where $timeFilter group by time($
```

And chose an alias of “RX”. Do the same for if\_eth0.up and alias that “TX”. You should end up with something like this



Click on *General* to edit the title, and then on *Axes & Grid* change the Format to *bps*. Under *Display Styles* you can stack the data or play around with the look of the graph. Click *Back to dashboard* and you should end up with something as follows



API Documentation:





## 5.1 tensor.aggregators

`tensor.aggregators.Counter(a, b, delta)`  
Counter derivative

`tensor.aggregators.Counter32(a, b, delta)`  
32bit counter aggregator with wrapping

`tensor.aggregators.Counter64(a, b, delta)`  
64bit counter aggregator with wrapping

## 5.2 tensor.interfaces

## 5.3 tensor.objects

`class tensor.objects.Event(state, service, description, metric, ttl, tags=[], hostname=None, aggregation=None, evtime=None, type='riemann')`

Bases: `object`

Tensor Event object

All sources pass these to the queue, which form a proxy object to create protobuf Event objects

### Parameters

- **state** – Some sort of string < 255 chars describing the state
- **service** – The service name for this event
- **description** – A description for the event, ie. “My house is on fire!”
- **metric** – int or float metric for this event
- **tags** – List of tag strings
- **hostname** – Hostname for the event (defaults to system fqdn)
- **aggregation** – Aggregation function
- **evtime** – Event timestamp override

**class** `tensor.objects.Output (config, tensor)`

Bases: `object`

Output parent class

Outputs can inherit this object which provides a construct for a working output

#### Parameters

- **config** – Dictionary config for this queue (usually read from the yaml configuration)
- **tensor** – A `TensorService` object for interacting with the queue manager

**createClient** ()

Deferred which sets up the output

**eventsReceived** ()

Receives a list of events and processes them

Arguments: `events` – list of `tensor.objects.Event`

**stop** ()

Called when the service shuts down

**class** `tensor.objects.Source (config, queueBack, tensor)`

Bases: `object`

Source parent class

Sources can inherit this object which provides a number of utility methods.

#### Parameters

- **config** – Dictionary config for this queue (usually read from the yaml configuration)
- **queueBack** – A callback method to receive a list of Event objects
- **tensor** – A `TensorService` object for interacting with the queue manager

**createEvent** (*state, description, metric, prefix=None, hostname=None, aggregation=None, evtime=None*)

Creates an Event object from the Source configuration

**createLog** (*type, data, evtime=None, hostname=None*)

Creates an Event object from the Source configuration

**startTimer** ()

Starts the timer for this source

**stopTimer** ()

Stops the timer for this source

**tick** (*\*args, \*\*kwargs*)

Called for every timer tick. Calls `self.get` which can be a deferred and passes that result back to the `queueBack` method

Returns a deferred

## 5.4 tensor.service

**class** `tensor.service.TensorService (config)`

Bases: `twisted.application.service.Service`

Tensor service

Runs timers, configures sources and and manages the queue

**sendEvent** (*source, events*)

Callback that all event sources call when they have a new event or list of events

**setupOutputs** (*config*)

Setup output processors

**setupSources** (*config*)

Sets up source objects from the given config

**sourceWatchdog** ()

Watchdog timer function.

Recreates sources which have not generated events in 10\*interval if they have watchdog set to true in their configuration

## 5.5 tensor.utils

**class** `tensor.utils.BodyReceiver` (*finished*)

Bases: `twisted.internet.protocol.Protocol`

Simple buffering consumer for body objects

**class** `tensor.utils.ProcessProtocol` (*deferred, timeout*)

Bases: `twisted.internet.protocol.ProcessProtocol`

ProcessProtocol which supports timeouts

**class** `tensor.utils.Resolver`

Bases: `object`

Helper class for DNS resolution

**class** `tensor.utils.StringProducer` (*body*)

Bases: `object`

String producer for writing to HTTP requests

**exception** `tensor.utils.Timeout`

Bases: `exceptions.Exception`

Raised to notify that an operation exceeded its timeout.

`tensor.utils.fork` (*executable, args=(), env={}, path=None, timeout=3600*)

Provides a deferred wrapper function with a timeout function

### Parameters

- **executable** (*str.*) – Executable
- **args** (*tuple.*) – Tuple of arguments
- **env** (*dict.*) – Environment dictionary
- **timeout** (*int.*) – Kill the child process if timeout is exceeded



---

## tensor.protocol

---

### 6.1 tensor.protocol.elasticsearch

```
class tensor.protocol.elasticsearch.ElasticSearch (url='http://localhost:9200',
                                                    user=None,           password=None,
                                                    index='logstash-%Y.%m.%d')

    Bases: object
    Twisted ElasticSearch API
```

### 6.2 tensor.protocol.icmp

```
class tensor.protocol.icmp.EchoPacket (seq=0, id=None, data=None, packet=None)
    Bases: object
    ICMP Echo packet encoder and decoder

class tensor.protocol.icmp.ICMPPing (d, dst, count, inter=0.2, maxwait=1000, size=64)
    Bases: twisted.internet.protocol.DatagramProtocol
    ICMP Ping implementation

class tensor.protocol.icmp.ICMPPort (port, proto, interface='', maxPacketSize=8192, reactor=None)
    Bases: twisted.internet.udp.Port
    Raw socket listener for ICMP

class tensor.protocol.icmp.IP (packet)
    Bases: object
    IP header decoder

tensor.protocol.icmp.ping (dst, count, inter=0.2, maxwait=1000, size=64)
    Sends ICMP echo requests to destination dst count times. Returns a deferred which fires when responses are finished.
```

### 6.3 tensor.protocol.riemann

```
class tensor.protocol.riemann.RiemannClientFactory
    Bases: twisted.internet.protocol.ReconnectingClientFactory
```

A reconnecting client factory which creates RiemannProtocol instances

**class** `tensor.protocol.riemann.RiemannProtocol`

Bases: `twisted.protocols.basic.Int32StringReceiver`, `tensor.protocol.riemann.RiemannProtobu`

Riemann protobuf protocol

**class** `tensor.protocol.riemann.RiemannUDP` (*host, port*)

Bases: `twisted.internet.protocol.DatagramProtocol`, `tensor.protocol.riemann.RiemannProtobu`

UDP datagram protocol for Riemann

## 6.4 tensor.protocol.sflow

### 6.4.1 tensor.protocol.sflow.server

**class** `tensor.protocol.sflow.server.DatagramReceiver`

Bases: `twisted.internet.protocol.DatagramProtocol`

DatagramReceiver for sFlow packets

### 6.4.2 tensor.protocol.sflow.protocol

## 7.1 tensor.logs.follower

**class** `tensor.logs.follower.LogFollower` (*logfile*, *parser=None*, *tmp\_path='/var/lib/tensor/'*, *history=False*)

Bases: `object`

Provides a class for following log files between runs

**Parameters**

- **logfile** (*str*) – Full path to logfile
- **parser** (*str*) – Optional parser method for log lines

**get** (*max\_lines=None*)

Returns a big list of all log lines since the last run

**get\_fn** (*fn*, *max\_lines=None*)

Passes each parsed log line to *fn* This is a better idea than storing a giant log file in memory

## 7.2 tensor.logs.parsers

**class** `tensor.logs.parsers.ApacheLogParser` (*format*)

Parses Apache log format

Adapted from <http://code.google.com/p/apache-log4j/>

**Parameters** **format** (*str*) – Apache log format definition eg `r'%h %l %u %t "%r" %>s %b "%{Referer}i" "%{User-Agent}i"'` or one of 'common', 'vhcommon' or 'combined'

**names** ()

Returns the field names the parser extracted from the input format (a list)

**parse** (*line*)

Parses a single line from the log file and returns a dictionary of it's contents.

Raises an exception if it couldn't parse the line

**pattern** ()

Returns the compound regular expression the parser extracted from the input format (a string)





---

**tensor.sources**

---

## 8.1 tensor.sources.database.postgresql

**class** `tensor.sources.database.postgresql.PostgreSQL(*a, **kw)`

Bases: `tensor.objects.Source`

Reads PostgreSQL metrics

**Configuration arguments:**

**Parameters**

- **host** (*str.*) – Database host
- **port** (*int.*) – Database port
- **user** (*str.*) – Username
- **password** (*str.*) – Password

**Metrics:**

(service name).(database name).(metrics) Metrics from pg\_stat\_database

## 8.2 tensor.sources.database.elasticsearch

**class** `tensor.sources.database.elasticsearch.ElasticSearch(*a, **kw)`

Bases: `tensor.objects.Source`

Reads elasticsearch metrics

**Configuration arguments:**

**Parameters**

- **url** (*str.*) – Elasticsearch base URL (default: <http://localhost:9200>)
- **user** (*str.*) – Basic auth username
- **password** (*str.*) – Password

**Metrics:**

(service name).cluster.status Cluster status (Red=0, Yellow=1, Green=2)

(service name).cluster.nodes Cluster node count

(service name).indices Total indices in cluster  
(service name).shards.total Total number of shards  
(service name).shards.primary Number of primary shards  
(service name).documents.total Total documents  
(service name).documents.rate Documents per second  
(service name).documents.size Size of document store in bytes

## 8.3 tensor.sources.database.memcache

`class tensor.sources.database.memcache.Memcache(*a, **kw)`

Bases: *tensor.objects.Source*

Reads memcache metrics

**Configuration arguments:**

**Parameters**

- **host** (*str.*) – Database host (default localhost)
- **port** (*int.*) – Database port (default 11211)

**Metrics:**

(service name).(metrics) Metrics from memcached

## 8.4 tensor.sources.haproxy

`class tensor.sources.haproxy.HAProxy(*a, **kw)`

Bases: *tensor.objects.Source*

Reads Nginx stub\_status

**Configuration arguments:**

**Parameters**

- **url** (*str.*) – URL to fetch stats from
- **user** (*str.*) – Username
- **password** (*str.*) – Password

**Metrics:**

(service name).(backend|frontend|nodes).(stats) Various statistics

## 8.5 tensor.sources.generator

`class tensor.sources.generator.Function(config, queueBack, tensor)`

Bases: *tensor.objects.Source*

Produces an arbitrary function

Functions can contain the functions `sin`, `cos`, `sinh`, `cosh`, `tan`, `tanh`, `asin`, `acos`, `atan`, `asinh`, `acosh`, `atanh`, `log(n, [base])`, `abs`

Or the constants `e`, `pi`, and variable `x`

#### Configuration arguments:

##### Parameters

- **dx** (*float.*) – Resolution with time (steps of `x`)
- **function** (*string.*) – Function to produce

## 8.6 tensor.sources.linux

### 8.6.1 tensor.sources.linux.basic

**class** `tensor.sources.linux.basic.CPU(*a)`

Bases: `tensor.objects.Source`

Reports system CPU utilisation as a percentage/100

#### Metrics:

**(service name)** Percentage CPU utilisation

**(service name).(type)** Percentage CPU utilisation by type

**class** `tensor.sources.linux.basic.DiskFree(config, queueBack, tensor)`

Bases: `tensor.objects.Source`

Returns the free space for all mounted filesystems

#### Metrics:

**(service name).(device)** Used space (%)

**(service name).(device).bytes** Used space (kbytes)

**(service name).(device).free** Free space (kbytes)

**class** `tensor.sources.linux.basic.DiskIO(*a, **kw)`

Bases: `tensor.objects.Source`

Reports disk IO statistics per device

#### Metrics:

**(service name).(device name).reads** Number of completed reads

**(service name).(device name).read\_bytes** Bytes read per second

**(service name).(device name).read\_latency** Disk read latency

**(service name).(device name).writes** Number of completed writes

**(service name).(device name).write\_bytes** Bytes written per second

**(service name).(device name).write\_latency** Disk write latency

**class** `tensor.sources.linux.basic.LoadAverage(config, queueBack, tensor)`

Bases: `tensor.objects.Source`

Reports system load average for the current host

**Metrics:**

(service name) Load average

**class** `tensor.sources.linux.basic.Memory` (*config, queueBack, tensor*)

Bases: `tensor.objects.Source`

Reports system memory utilisation as a percentage/100

**Metrics:**

(service name) Percentage memory utilisation

**class** `tensor.sources.linux.basic.Network` (*config, queueBack, tensor*)

Bases: `tensor.objects.Source`

Returns all network interface statistics

**Metrics:**

(service name).(device).tx\_bytes Bytes transmitted

(service name).(device).tx\_packets Packets transmitted

(service name).(device).tx\_errors Errors

(service name).(device).rx\_bytes Bytes received

(service name).(device).rx\_packets Packets received

(service name).(device).rx\_errors Errors

## 8.6.2 tensor.sources.linux.process

**class** `tensor.sources.linux.process.ProcessCount` (*config, queueBack, tensor*)

Bases: `tensor.objects.Source`

Returns the ps count on the system

**Metrics:**

(service name) Number of processes

**class** `tensor.sources.linux.process.ProcessStats` (*config, queueBack, tensor*)

Bases: `tensor.objects.Source`

Returns memory used by each active parent process

**Metrics:**

(service name).proc.(process name).cpu Per process CPU usage

(service name).proc.(process name).memory Per process memory use

(service name).proc.(process name).age Per process age

(service name).user.(user name).cpu Per user CPU usage

(service name).user.(user name).memory Per user memory use

### 8.6.3 tensor.sources.linux.sensors

**class** `tensor.sources.linux.sensors.SMART` (\*a, \*\*kw)

Bases: `tensor.objects.Source`

Returns SMART output for all disks

**Metrics:**

(service name).(disk).(sensor) Sensor value

**class** `tensor.sources.linux.sensors.Sensors` (config, queueBack, tensor)

Bases: `tensor.objects.Source`

Returns lm-sensors output

NB. This is very untested on different configurations and versions. Please report any issues with the output of the `sensors` command to help improve it.

**Metrics:**

(service name).(adapter).(sensor) Sensor value

## 8.7 tensor.sources.media

### 8.7.1 tensor.sources.media.libav

**class** `tensor.sources.media.libav.DarwinRTSP` (config, queueBack, tensor)

Bases: `tensor.objects.Source`

Makes avprobe requests of a Darwin RTSP sample stream (sample\_100kbit.mp4)

**Configuration arguments:**

**Parameters** `destination` – Host name or IP address to check

**Metrics:** :(service name): Time to complete request

You can also override the `hostname` argument to make it match metrics from that host.

## 8.8 tensor.sources.munin

**class** `tensor.sources.munin.MuninNode` (config, queueBack, tensor)

Bases: `tensor.objects.Source`

Connects to munin-node and retrieves all metrics

**Configuration arguments:**

**Parameters**

- **host** (*str.*) – munin-node hostname (probably localhost)
- **port** (*int.*) – munin-node port (probably 4949)

**Metrics:**

(service name).(plugin name).(keys...) A dot separated tree of munin plugin keys

**class** `tensor.sources.munin.MuninProtocol`  
Bases: `twisted.protocols.basic.LineReceiver`  
MuninProtocol - provides a line receiver protocol for making requests to munin-node  
Requests must be made sequentially

## 8.9 tensor.sources.network

**class** `tensor.sources.network.HTTP` (*config, queueBack, tensor*)  
Bases: `tensor.objects.Source`  
Performs an HTTP request  
**Configuration arguments:**  
**Parameters**

- **url** (*str.*) – HTTP URL
- **method** (*str.*) – HTTP request method to use (default GET)
- **match** (*str.*) – A text string to match in the document when it is correct
- **useragent** (*str.*) – User-Agent header to use
- **timeout** (*int.*) – Timeout for connection (default 60s)

**Metrics:**

(**service name**).**latency** Time to complete request

**class** `tensor.sources.network.Ping` (*config, queueBack, tensor*)  
Bases: `tensor.objects.Source`

Performs an Ping checks against a destination

**Configuration arguments:**

**Parameters** **destination** (*str.*) – Host name or IP address to ping

**Metrics:**

(**service name**).**latency** Ping latency

(**service name**).**loss** Packet loss

You can also override the *hostname* argument to make it match metrics from that host.

## 8.10 tensor.sources.nginx

**class** `tensor.sources.nginx.Nginx` (*config, queueBack, tensor*)  
Bases: `tensor.objects.Source`  
Reads Nginx stub\_status  
**Configuration arguments:**  
**Parameters** **stats\_url** (*str.*) – URL to fetch stub\_status from  
**Metrics:**  
(**service name**).**active** Active connections at this time

(service name).accepts Accepted connections  
 (service name).handled Handled connections  
 (service name).requests Total client requests  
 (service name).reading Reading requests  
 (service name).writing Writing responses  
 (service name).waiting Waiting connections

**class** `tensor.sources.nginx.NginxLog` (\*a)

Bases: `tensor.objects.Source`

Tails Nginx log files, parses them and returns log events for outputs which support them.

#### Configuration arguments:

##### Parameters

- **log\_format** (*str.*) – Log format passed to parser, same as the config definition (default: combined)
- **file** (*str.*) – Log file
- **max\_lines** (*int.*) – Maximum number of log lines to read per interval to prevent overwhelming Tensor when reading large logs (default 2000)

**class** `tensor.sources.nginx.NginxLogMetrics` (\*a)

Bases: `tensor.objects.Source`

Tails Nginx log files, parses them and returns metrics for data usage and requests against other fields.

#### Configuration arguments:

##### Parameters

- **log\_format** (*str.*) – Log format passed to parser, same as the config definition
- **file** (*str.*) – Log file
- **max\_lines** (*int.*) – Maximum number of log lines to read per interval to prevent overwhelming Tensor when reading large logs (default 2000)
- **resolution** (*int.*) – Aggregate bucket resolution in seconds (default 10)
- **history** (*bool.*) – Read the entire file from scratch if we've never seen it (default false)

#### Metrics:

(service name).total\_bytes Bytes total for all requests  
 (service name).total\_requests Total request count  
 (service name).stats.(code).(requests|bytes) Metrics by status code  
 (service name).user-agent.(agent).(requests|bytes) Metrics by user agent  
 (service name).client.(ip).(requests|bytes) Metrics by client IP  
 (service name).request.(request path).(requests|bytes) Metrics by request path

## 8.11 tensor.sources.python

### 8.11.1 tensor.sources.python.uwsgi

**class** `tensor.sources.python.uwsgi.Emperor` (*config, queueBack, tensor*)

Bases: `tensor.objects.Source`

Connects to UWSGI Emperor stats and creates useful metrics

**Configuration arguments:**

**Parameters**

- **host** (*str.*) – Hostname (default localhost)
- **port** (*int.*) – Port

**class** `tensor.sources.python.uwsgi.JSONProtocol`

Bases: `twisted.internet.protocol.Protocol`

JSON line protocol

## 8.12 tensor.sources.rabbitmq

**class** `tensor.sources.rabbitmq.Queues` (*\*a, \*\*kw*)

Bases: `tensor.objects.Source`

Returns Queue information for a particular vhost

**Configuration arguments:**

**Parameters** **vhost** (*str.*) – Vhost name

**Metrics:**

- (service\_name).(queue).ready** Ready messages for queue
- (service\_name).(queue).unack** Unacknowledged messages for queue
- (service\_name).(queue).ready\_rate** Ready rate of change per second
- (service\_name).(queue).unack\_rate** Unacknowledge rate of change per second

## 8.13 tensor.sources.redis

**class** `tensor.sources.redis.Queues` (*\*a, \*\*kw*)

Bases: `tensor.objects.Source`

Query llen from redis-cli

**Configuration arguments:**

**Parameters**

- **queue** (*str.*) – Queue name (defaults to 'celery', just because)
- **db** (*int.*) – DB number
- **clipath** (*str.*) – Path to redis-cli (default: /usr/bin/redis-cli)

**Metrics:**



(service\_name) Queue length

(service\_name) Queue rate

## 8.14 tensor.sources.riak

**class** `tensor.sources.riak.RiakStats` (*config, queueBack, tensor*)

Bases: `tensor.objects.Source`

Returns GET/PUT rates for a Riak node

**Configuration arguments:**

**Parameters**

- **url** (*str.*) – Riak stats URL
- **useragent** (*str.*) – User-Agent header to use

**Metrics:**

(service name).latency Time to complete request

## 8.15 tensor.sources.riemann

**class** `tensor.sources.riemann.RiemannTCP` (*config, queueBack, tensor*)

Bases: `tensor.objects.Source`

Provides a listening server which accepts Riemann metrics and proxies them to our queue.

**Configuration arguments:**

**Parameters** **port** (*int.*) – Port to listen on (default 5555)

**startTimer** ()

Creates a Riemann TCP server instead of a timer

**class** `tensor.sources.riemann.RiemannTCPServer` (*source*)

Bases: `tensor.protocol.riemann.RiemannProtocol`

Server implementation of the Riemann protocol

## 8.16 tensor.sources.sflow

**class** `tensor.sources.sflow.sFlow` (*config, queueBack, tensor*)

Bases: `tensor.objects.Source`

Provides an sFlow server Source

**Configuration arguments:**

**Parameters**

- **port** (*int.*) – UDP port to listen on
- **dnslookup** (*bool.*) – Enable reverse DNS lookup for device IPs (default: True)

**Metrics:**

Metrics are published using the key patterns (device).(service name).(interface).(in/out)Octets (device).(service name).(interface).ip (device).(service name).(interface).port

**startTimer()**

Creates a sFlow datagram server

**class** `tensor.sources.sflow.SFlowReceiver` (*source*)

Bases: `tensor.protocol.sflow.server.DatagramReceiver`

sFlow datagram protocol

## 8.17 tensor.sources.snmp

**class** `tensor.sources.snmp.SNMP` (\**a*, \*\**kw*)

Bases: `tensor.objects.Source`

Connects to an SNMP agent and retrieves OIDs

**Configuration arguments:****Parameters**

- **ip** (*str.*) – SNMP agent host (default: 127.0.0.1)
- **port** (*int.*) – SNMP port (default: 161)
- **community** (*str.*) – SNMP read community

**class** `tensor.sources.snmp.SNMPCisco837` (\**a*, \*\**kw*)

Bases: `tensor.sources.snmp.SNMP`

Connects to a Cisco 837 and makes metrics

**Configuration arguments:****Parameters**

- **ip** (*str.*) – SNMP agent host (default: 127.0.0.1)
- **port** (*int.*) – SNMP port (default: 161)
- **community** (*str.*) – SNMP read community

**class** `tensor.sources.snmp.SNMPConnection` (*host*, *port*, *community*)

Bases: `object`

A wrapper class for PySNMP functions

**Parameters**

- **host** (*str.*) – SNMP agent host
- **port** (*int.*) – SNMP port
- **community** (*str.*) – SNMP read community

(This is not a source and you shouldn't try to use it as one)

---

**tensor.outputs**


---

## 9.1 tensor.outputs.riemann

**class** `tensor.outputs.riemann.RiemannTCP` (\*a)

Bases: *tensor.objects.Output*

Riemann TCP output

**Configuration arguments:**

**Parameters**

- **server** (*str.*) – Riemann server hostname (default: localhost)
- **port** (*int.*) – Riemann server port (default: 5555)
- **maxrate** (*int.*) – Maximum de-queue rate (0 is no limit)
- **maxsize** (*int.*) – Maximum queue size (0 is no limit, default is 250000)
- **interval** (*float.*) – De-queue interval in seconds (default: 1.0)
- **pressure** (*int.*) – Maximum backpressure (-1 is no limit)
- **tls** (*bool.*) – Use TLS (default false)
- **cert** (*str.*) – Host certificate path
- **key** (*str.*) – Host private key path

**createClient** ()

Create a TCP connection to Riemann with automatic reconnection

**emptyQueue** ()

Remove all or self.queueDepth events from the queue

**eventsReceived** (*events*)

Receives a list of events and transmits them to Riemann

Arguments: *events* – list of *tensor.objects.Event*

**stop** ()

Stop this client.

**tick** ()

Clock tick called every self.inter

**class** `tensor.outputs.riemann.RiemannUDP` (\*a)

Bases: `tensor.objects.Output`

Riemann UDP output (spray-and-pray mode)

**Configuration arguments:**

**Parameters**

- **server** (*str*) – Riemann server IP address (default: 127.0.0.1)
- **port** (*int*.) – Riemann server port (default: 5555)

**createClient** ()

Create a UDP connection to Riemann

**eventsReceived** (*events*)

Receives a list of events and transmits them to Riemann

Arguments: events – list of `tensor.objects.Event`

## 9.2 tensor.outputs.elasticsearch

**class** `tensor.outputs.elasticsearch.ElasticSearchLog` (\*a)

Bases: `tensor.objects.Output`

ElasticSearch HTTP API output

This Output transposes events to a Logstash format

**Configuration arguments:**

**Parameters**

- **url** (*str*) – Elasticsearch URL (default: `http://localhost:9200`)
- **maxsize** (*int*) – Maximum queue backlog size (default: 250000, 0 disables)
- **maxrate** (*int*) – Maximum rate of documents added to index (default: 100)
- **interval** (*int*) – Queue check interval in seconds (default: 1.0)
- **user** (*str*) – Optional basic auth username
- **password** (*str*) – Optional basic auth password

**createClient** ()

Sets up HTTP connector and starts queue timer

**eventsReceived** (*events*)

Receives a list of events and queues them

Arguments: events – list of `tensor.objects.Event`

**stop** ()

Stop this client.

**tick** (\*args, \*\*kwargs)

Clock tick called every self.inter

---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`



**e**

`elasticsearch` (*Unix*), 29

**g**

`generator` (*Any*), 30

**h**

`haproxy` (*Unix*), 30

**m**

`memcache` (*Unix*), 30

`munin` (*Any*), 33

**n**

`network` (*Unix*), 34

`nginx` (*Unix*), 34

**p**

`postgresql` (*Unix*), 29

**r**

`riak` (*Any*), 37

`riemann` (*Unix*), 37

**s**

`sflow` (*Unix*), 37

`snmp` (*Unix*), 38

**t**

`tensor.aggregators`, 21

`tensor.interfaces`, 21

`tensor.logs.follower`, 27

`tensor.logs.parsers`, 27

`tensor.objects`, 21

`tensor.outputs.elasticsearch`, 40

`tensor.outputs.riemann`, 39

`tensor.protocol.elasticsearch`, 25

`tensor.protocol.icmp`, 25

`tensor.protocol.riemann`, 25

`tensor.protocol.sflow.protocol`, 26

`tensor.protocol.sflow.server`, 26

`tensor.service`, 22

`tensor.sources.database.elasticsearch`,  
29

`tensor.sources.database.memcache`, 30

`tensor.sources.database.postgresql`, 29

`tensor.sources.generator`, 30

`tensor.sources.haproxy`, 30

`tensor.sources.linux.basic`, 31

`tensor.sources.linux.process`, 32

`tensor.sources.linux.sensors`, 33

`tensor.sources.media.libav`, 33

`tensor.sources.munin`, 33

`tensor.sources.network`, 34

`tensor.sources.nginx`, 34

`tensor.sources.python.uwsgi`, 36

`tensor.sources.rabbitmq`, 36

`tensor.sources.redis`, 36

`tensor.sources.riak`, 37

`tensor.sources.riemann`, 37

`tensor.sources.sflow`, 37

`tensor.sources.snmp`, 38

`tensor.utils`, 23

**u**

`uwsgi` (*Any*), 36





## A

ApacheLogParser (class in tensor.logs.parsers), 27

## B

BodyReceiver (class in tensor.utils), 23

## C

Counter() (in module tensor.aggregators), 21

Counter32() (in module tensor.aggregators), 21

Counter64() (in module tensor.aggregators), 21

CPU (class in tensor.sources.linux.basic), 31

createClient() (tensor.objects.Output method), 22

createClient() (tensor.outputs.elasticsearch.ElasticSearchLog method), 40

createClient() (tensor.outputs.riemann.RiemannTCP method), 39

createClient() (tensor.outputs.riemann.RiemannUDP method), 40

createEvent() (tensor.objects.Source method), 22

createLog() (tensor.objects.Source method), 22

## D

DarwinRTSP (class in tensor.sources.media.libav), 33

DatagramReceiver (class in tensor.protocol.sflow.server), 26

DiskFree (class in tensor.sources.linux.basic), 31

DiskIO (class in tensor.sources.linux.basic), 31

## E

EchoPacket (class in tensor.protocol.icmp), 25

ElasticSearch (class in tensor.protocol.elasticsearch), 25

ElasticSearch (class in tensor.sources.database.elasticsearch), 29

elasticsearch (module), 29

ElasticSearchLog (class in tensor.outputs.elasticsearch), 40

Emperor (class in tensor.sources.python.uwsgi), 36

emptyQueue() (tensor.outputs.riemann.RiemannTCP method), 39

Event (class in tensor.objects), 21

eventsReceived() (tensor.objects.Output method), 22

eventsReceived() (tensor.outputs.elasticsearch.ElasticSearchLog method), 40

eventsReceived() (tensor.outputs.riemann.RiemannTCP method), 39

eventsReceived() (tensor.outputs.riemann.RiemannUDP method), 40

## F

fork() (in module tensor.utils), 23

Function (class in tensor.sources.generator), 30

## G

generator (module), 30

get() (tensor.logs.follower.LogFollower method), 27

get\_fn() (tensor.logs.follower.LogFollower method), 27

## H

HAProxy (class in tensor.sources.haproxy), 30

haproxy (module), 30

HTTP (class in tensor.sources.network), 34

## I

ICMPPing (class in tensor.protocol.icmp), 25

ICMPPort (class in tensor.protocol.icmp), 25

IP (class in tensor.protocol.icmp), 25

## J

JSONProtocol (class in tensor.sources.python.uwsgi), 36

## L

LoadAverage (class in tensor.sources.linux.basic), 31

LogFollower (class in tensor.logs.follower), 27

## M

Memcache (class in tensor.sources.database.memcache), 30

memcache (module), 30

Memory (class in tensor.sources.linux.basic), 32

munin (module), 33

MuninNode (class in `tensor.sources.munin`), 33  
MuninProtocol (class in `tensor.sources.munin`), 33

## N

`names()` (`tensor.logs.parsers.ApacheLogParser` method), 27  
Network (class in `tensor.sources.linux.basic`), 32  
`network` (module), 34  
Nginx (class in `tensor.sources.nginx`), 34  
`nginx` (module), 34  
NginxLog (class in `tensor.sources.nginx`), 35  
NginxLogMetrics (class in `tensor.sources.nginx`), 35

## O

Output (class in `tensor.objects`), 21

## P

`parse()` (`tensor.logs.parsers.ApacheLogParser` method), 27  
`pattern()` (`tensor.logs.parsers.ApacheLogParser` method), 27  
Ping (class in `tensor.sources.network`), 34  
`ping()` (in module `tensor.protocol.icmp`), 25  
PostgreSQL (class in `tensor.sources.database.postgresql`), 29  
`postgresql` (module), 29  
ProcessCount (class in `tensor.sources.linux.process`), 32  
ProcessProtocol (class in `tensor.utils`), 23  
ProcessStats (class in `tensor.sources.linux.process`), 32

## Q

Queues (class in `tensor.sources.rabbitmq`), 36  
Queues (class in `tensor.sources.redis`), 36

## R

Resolver (class in `tensor.utils`), 23  
`riak` (module), 37  
RiakStats (class in `tensor.sources.riak`), 37  
`riemann` (module), 37  
RiemannClientFactory (class in `tensor.protocol.riemann`), 25  
RiemannProtocol (class in `tensor.protocol.riemann`), 26  
RiemannTCP (class in `tensor.outputs.riemann`), 39  
RiemannTCP (class in `tensor.sources.riemann`), 37  
RiemannTCPServer (class in `tensor.sources.riemann`), 37  
RiemannUDP (class in `tensor.outputs.riemann`), 39  
RiemannUDP (class in `tensor.protocol.riemann`), 26

## S

`sendEvent()` (`tensor.service.TensorService` method), 23  
Sensors (class in `tensor.sources.linux.sensors`), 33  
`setupOutputs()` (`tensor.service.TensorService` method), 23  
`setupSources()` (`tensor.service.TensorService` method), 23

`sFlow` (class in `tensor.sources.sflow`), 37  
`sflow` (module), 37  
sFlowReceiver (class in `tensor.sources.sflow`), 38  
SMART (class in `tensor.sources.linux.sensors`), 33  
SNMP (class in `tensor.sources.snmp`), 38  
`snmp` (module), 38  
SNMPCisco837 (class in `tensor.sources.snmp`), 38  
SNMPConnection (class in `tensor.sources.snmp`), 38  
Source (class in `tensor.objects`), 22  
`sourceWatchdog()` (`tensor.service.TensorService` method), 23  
`startTimer()` (`tensor.objects.Source` method), 22  
`startTimer()` (`tensor.sources.riemann.RiemannTCP` method), 37  
`startTimer()` (`tensor.sources.sflow.sFlow` method), 38  
`stop()` (`tensor.objects.Output` method), 22  
`stop()` (`tensor.outputs.elasticsearch.ElasticSearchLog` method), 40  
`stop()` (`tensor.outputs.riemann.RiemannTCP` method), 39  
`stopTimer()` (`tensor.objects.Source` method), 22  
StringProducer (class in `tensor.utils`), 23

## T

`tensor.aggregators` (module), 21  
`tensor.interfaces` (module), 21  
`tensor.logs.follower` (module), 27  
`tensor.logs.parsers` (module), 27  
`tensor.objects` (module), 21  
`tensor.outputs.elasticsearch` (module), 40  
`tensor.outputs.riemann` (module), 39  
`tensor.protocol.elasticsearch` (module), 25  
`tensor.protocol.icmp` (module), 25  
`tensor.protocol.riemann` (module), 25  
`tensor.protocol.sflow.protocol` (module), 26  
`tensor.protocol.sflow.server` (module), 26  
`tensor.service` (module), 22  
`tensor.sources.database.elasticsearch` (module), 29  
`tensor.sources.database.memcache` (module), 30  
`tensor.sources.database.postgresql` (module), 29  
`tensor.sources.generator` (module), 30  
`tensor.sources.haproxy` (module), 30  
`tensor.sources.linux.basic` (module), 31  
`tensor.sources.linux.process` (module), 32  
`tensor.sources.linux.sensors` (module), 33  
`tensor.sources.media.libav` (module), 33  
`tensor.sources.munin` (module), 33  
`tensor.sources.network` (module), 34  
`tensor.sources.nginx` (module), 34  
`tensor.sources.python.uwsgi` (module), 36  
`tensor.sources.rabbitmq` (module), 36  
`tensor.sources.redis` (module), 36  
`tensor.sources.riak` (module), 37  
`tensor.sources.riemann` (module), 37  
`tensor.sources.sflow` (module), 37

`tensor.sources.snmp` (module), [38](#)

`tensor.utils` (module), [23](#)

`TensorService` (class in `tensor.service`), [22](#)

`tick()` (`tensor.objects.Source` method), [22](#)

`tick()` (`tensor.outputs.elasticsearch.ElasticSearchLog`  
method), [40](#)

`tick()` (`tensor.outputs.riemann.RiemannTCP` method), [39](#)

`Timeout`, [23](#)

## U

`uwsgi` (module), [36](#)